

Do Black Holes Exist?

Stanley L. Robertson

Department of Physics, Southwestern Oklahoma State University, Weatherford, OK 73096

Received _____; accepted _____

ABSTRACT

Proof that black holes exist will likely require confirmation of the existence of event horizons. The common assumption that the mere existence of large compact masses proves the case for black holes is an unwarranted extrapolation of General Relativity into a strong-field regime where it has not been adequately tested. Neither the large compact masses of galactic nuclei nor the massive compact objects of stellar mass in the x-ray binaries prove the existence of black holes. In contrast to the case for galactic nuclei, we have the necessary tools for obtaining either proof or disproof of event horizons in the x-ray binaries. Observations of kHz QPOs may decide the event horizon issue very quickly. If not, we can still obtain proof by comparing predictions of gravity theories that differ primarily by the presence or absence of an event horizon. Detailed analysis of models of x-ray binaries would then decide the issue.

Subject headings: Black Hole Physics, Stars: neutron, X-rays: stars

1. Introduction

This paper has been withdrawn by the author. The attribution of the power-law hard spectral tail of x-ray novae to a neutron star surface boundary layer is incorrect. Even the most weakly magnetic neutron stars in x-ray binaries likely have fields strong enough to disrupt the flow into a surface boundary layer.